## Safety Data Sheet 1907/2006/EC - REACH (GB)

Aqua-stabil

# Julabo

## JULABO GmbH

#### 77960 Seelbach

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

## Aqua-stabil

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1 Relevant uses

Water disinfectant

1.2.2 Uses advised against

None known.

#### 1.3 Details of the supplier of the safety data sheet

Company JULABO GmbH

Gerhard-Juchheim-Straße 1 77960 Seelbach / GERMANY Phone +49 (0)7823 510 Fax +49 (0)7823 2491 Homepage www.julabo.com E-mail info@julabo.com

Address enquiries to

Technical information info@julabo.com

Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (english)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms none
Signal word none

**Hazard statements** H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulation.

Biocide (528/2012/CE) contains: 0,2 g/100g Polymeric N,N-Dimethyl-2-hydroxypropylammoniumchloride

0,03 g/100g Poly(hexamethylenebiguanide) hydrochloride

Registration: -

2.3 Other hazards

**Environmental hazards**Does not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

## Safety Data Sheet 1907/2006/EC - REACH (GB)

Aqua-stabil



## JULABO GmbH

#### 77960 Seelbach

Date printed 17.03.2017, Revision 23.01.2017 Version 04. Supersedes version: 03 Page 2 / 8

## SECTION 3: Composition / Information on ingredients

#### Product-type:

The product is a mixture.

| Range [%] Substance |   |
|---------------------|---|
| 0,03                | Poly(hexamethylenebiguanide) hydrochloride  |
|                     | CAS: 27083-27-8, EINECS/ELINCS: polymer, EU-INDEX: 616-207-00-X   |
|                     | GHS/CLP: Carc. 2: H351 - Acute Tox. 4: H302 - Acute Tox. 2: H330 - Skin Sens. 1B: H317 - Eye Dam. 1: H318 - STOT RE 1: H372 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M = 10 |

Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. Rinse out mouth and give plenty of water to drink.

Do not induce vomiting.

Seek medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

None known.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media Product itself is non-combustible. Fire extinguishing method of surrounding areas must be

considered.

Extinguishing media that must not

be used

Ingestion

Full water jet.

## 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

## 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Use personal protective clothing.

## Safety Data Sheet 1907/2006/EC - REACH (GB) Aqua-stabil

## Julabo

## JULABO GmbH

#### 77960 Seelbach

Date printed 17.03.2017, Revision 23.01.2017

Version 04. Supersedes version: 03

Page 3 / 8

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

No special measures necessary if used correctly.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Use barrier skin cream.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container. Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed. Protect from heat/overheating.

## 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

## 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

## 8.2 Exposure controls

Additional advice on system design 

Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

**Hand protection** 0,4 mm; Butyl rubber, >480 min (EN 374-1/-2/-3).

The details concerned are recommendations. Please contact the glove supplier for further

information

Skin protectionNot required under normal conditions.OtherAvoid contact with eyes and skin.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

**Respiratory protection** Not required under normal conditions.

Thermal hazards non

Delimitation and monitoring of the

environmental exposition

See SECTION 6+7.

## Safety Data Sheet 1907/2006/EC - REACH (GB) Aqua-stabil



## JULABO GmbH

## 77960 Seelbach

Date printed 17.03.2017, Revision 23.01.2017 Version 04. Supersedes version: 03 Page 4 / 8

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

**Form** liquid Color bluish Odor characteristic **Odour threshold** not determined pH-value not determined pH-value [1%] not determined Boiling point [°C] ca. 100 Flash point [°C] not applicable Flammability (solid, gas) [°C] not applicable Lower explosion limit not applicable **Upper explosion limit** not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa] not applicable
Density [g/ml] not determined
Bulk density [kg/m³] not applicable
Solubility in water miscible
Partition coefficient [n-octanol/water] not determined

Viscosity not applicable
Relative vapour density determined not applicable

in air

Evaporation speed not applicable

Melting point [°C] not determined

Autoignition temperature [°C] not applicable

Decomposition temperature [°C] not determined

## 9.2 Other information

none

## SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

## 10.3 Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4 Conditions to avoid

See SECTION 7.2.

## 10.5 Incompatible materials

not applicable

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.



## JULABO GmbH

#### 77960 Seelbach

Date printed 17.03.2017, Revision 23.01.2017 Version 04. Supersedes version: 03 Page 5 / 8

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Product

ATE-mix, inhalative, Based on the available information, the classification criteria are not fulfilled.:

ATE-mix, dermal, Based on the available information, the classification criteria are not fulfilled.:

ATE-mix, oral, Based on the available information, the classification criteria are not fulfilled.:

Serious eye damage/irritation

Skin corrosion/irritation

Respiratory or skin sensitisation

Specific target organ toxicity —

single exposure

Specific target organ toxicity —

repeated exposure

Mutagenicity

Reproduction toxicity

Carcinogenicity

Aspiration hazard

General remarks

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Substance

Poly(hexamethylenebiguanide) hydrochloride, CAS: 27083-27-8

LC50, (96h), Oncorhynchus mykiss: 0,026 mg/l.

EC50, Bacteria: 38 mg/l (4h).

EC50, (48h), Daphnia magna: 0,09 mg/l (OECD 202).

ErC50, (72h), Pseudokirchneriella subcapitata: 0,0191 mg/l (OECD 201).

## 12.2 Persistence and degradability

Behaviour in environment

compartments

No information available

Behaviour in sewage plant

No information available.

**Biological degradability** 

The surfactants contained in this preparation comply with the biodegradability criteria as laid

down in Regulation (EC) No.648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of

a detergent manufacturer.

## 12.3 Bioaccumulative potential

Accumulation in organisms is not expected.

## 12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

## Safety Data Sheet 1907/2006/EC - REACH (GB) Aqua-stabil



## JULABO GmbH

#### 77960 Seelbach

Date printed 17.03.2017, Revision 23.01.2017

Version 04. Supersedes version: 03 Page 6 / 8

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

## 12.6 Other adverse effects

Ecological data of complete product are not available.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

Dispose of as hazardous waste.

Coordinate disposal with the authorities if necessary.

Waste no. (recommended) 070601\*

Contaminated packaging

Uncontaminated packaging may be reused.

Waste no. (recommended) 150110\*

150102

## **SECTION 14: Transport information**

## 14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

NO DANGEROUS GOODS Inland navigation (ADN)

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

## Safety Data Sheet 1907/2006/EC - REACH (GB)

Aqua-stabil

# Julaba

## JULABO GmbH

## 77960 Seelbach

Date printed 17.03.2017, Revision 23.01.2017

Version 04. Supersedes version: 03

Page 7 / 8

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

no

Inland navigation (ADN)

Marine transport in accordance with n

**IMDG** 

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2008/47/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2017).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

CHIP 3/ CHIP 4

CHIP 3/

- Observe employment restrictions for people

none

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

# وروطويان با

#### JULABO GmbH

#### 77960 Seelbach

Date printed 17.03.2017, Revision 23.01.2017

Version 04. Supersedes version: 03

Page 8 / 8

## **SECTION 16: Other information**

## 16.1 Hazard statements (SECTION 03)

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

H318 Causes serious eye damage. H317 May cause an allergic skin reaction.

H330 Fatal if inhaled. H302 Harmful if swallowed. H351 Suspected of causing cancer.

## 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration

ECB = European Chemicals Bureau EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform Chemical Information Database

LC50 = Lethal concentration, 50% LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

#### 16.3 Other information

Classification procedure

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)

Modified position

SECTION 16 been added: GENERAL REVIEW [CLP; REACH-(EU) 2015/830]

Copyright: Chemiebüro®

