

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

MEDICHEM ID KOMBI

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Disinfectant for processing of instruments

### 1.3. Details of the supplier of the safety data sheet

Company name: Medichem Vertriebs GmbH

Street: Sandhof 8 - 10

Place: D-24768 Rendsburg

Telephone: +49 (0) 4331-72185

Telefax: +49 (0) 6897-9813-13

e-mail: r.nickel@san-bedarf-rendsburg.de

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

### 1.4. Emergency telephone

#### number:

INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Acute 1

Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:

Harmful if swallowed.

Causes severe skin burns and eye damage.

Causes serious eye damage.

May cause an allergic skin reaction.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

Alcohol ethoxylate C9-C11

Tridecylamine

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Maleic acid

Signal word:

Danger

Pictograms:



#### Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

**MEDICHEM ID KOMBI**

00320-0087-GHS

- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P273 Avoid release to the environment.
- P501 Dispose of contents/container to approved disposal company or local collection.

**2.3. Other hazards**

Not known.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Aqueous preparation with detergents and solvents

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
68439-46-3	Alcohol ethoxylate C9-C11			< 15 %
	Acute Tox. 4, Eye Dam. 1; H302 H318			
112-34-5	2-(2-Butoxyethoxy)ethanol			< 15 %
	203-961-6	603-096-00-8	01-2119475104-44	
	Eye Irrit. 2; H319			
68131-39-5	Alcohol ethoxylate C12-C15			< 10 %
	500-195-7			
	Acute Tox. 4, Eye Dam. 1; H302 H318			
86089-17-0	Tridecylamine			< 5 %
	289-185-9		01-2119461722-40	
	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 10); H302 H314 H400 H410			
2372-82-9	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine			< 5 %
	219-145-8		01-2119980592-29	
	Acute Tox. 3, Skin Corr. 1A, STOT RE 2, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1; H301 H314 H373 H400 H410			
110-16-7	Maleic acid			1 - 2 %
	203-742-5	607-095-00-3	01-2119488705-25	
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H302 H312 H315 H319 H317 H335			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Remove contaminated soaked clothing immediately.

If you feel unwell, seek medical advice.

**After inhalation**

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

In the event of symptoms refer for medical treatment.

**After contact with skin**

Wash off immediately with soap and plenty of water.

Consult a doctor if skin irritation persists.

**After contact with eyes**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.



Consult (eye) doctor immediately.

**After ingestion**

Do not provoke vomiting. Consult physician. Attention in case of vomiting - acute danger of suffocating, produced by foaming ingredients. Rinse mouth. Make drink some glasses of water. The decision whether to provoke vomiting is to be taken by a physician.

**4.2. Most important symptoms and effects, both acute and delayed**

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Watch out. Beware, hazard of foam aspiration.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptoms.

---

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Product does not burn, fire-extinguishing activities according to surrounding.

**Unsuitable extinguishing media**

Full water jet.

**5.2. Special hazards arising from the substance or mixture**

Fire may produce:

Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>) and nitrogen oxides (NO<sub>x</sub>).

**5.3. Advice for firefighters**

Use breathing apparatus with independent air supply.

Protective suit.

**Additional information**

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

---

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

In case of vapour formation use respirator.

Ensure adequate ventilation.

Use personal protective clothing.

**6.2. Environmental precautions**

Do not discharge into the drains/surface waters/ground water.

Do not discharge into the subsoil/soil.

**6.3. Methods and material for containment and cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

**6.4. Reference to other sections**

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

---

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

Keep container tightly closed.

Avoid contact with skin, eyes and clothing.

Use only in well-ventilated areas.

**Advice on protection against fire and explosion**

No special protective measures against fire required.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed in a dry, cool and well-ventilated place.

**Advice on storage compatibility**

Incompatible with strong acids and oxidizing agents.

**Further information on storage conditions**

Keep away from food, drink and animal feeding stuffs.

**7.3. Specific end use(s)**

Disinfectant for processing of instruments

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL

**8.2. Exposure controls****Appropriate engineering controls**

Ensure adequate ventilation, especially in confined areas.

**Protective and hygiene measures**

Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

Take off immediately all contaminated clothing.

Avoid contact with skin, eyes and clothing.

**Eye/face protection**

Eye wash bottle with pure water (EN 15154).

Tightly fitting goggles (EN 166).

**Hand protection**

Chemical-resistant gloves (EN 374).

(recommended: minimum protection index 2, corresponding to a permeation rate > 30 minutes according to EN 374)

Butyl rubber - Butyl (0,5 mm)

Fluoro-rubber - FKM (0.4 mm)

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

**Skin protection**

Long sleeved clothing (EN 368).

**Respiratory protection**

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	Green
Odour:	Perfumed (scented)
pH-Value:	9,1 - 9,8

**Changes in the physical state**

Flash point:	n.a.
Lower explosion limits:	n.d.
Upper explosion limits:	
Ignition temperature:	n.a.
Density (at 20 °C):	0,995 - 1,050 g/cm <sup>3</sup>
Water solubility: (at 20 °C)	Miscible



## **9.2. Other information**

No data available.

---

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

No decomposition if stored and applied as directed.

### **10.2. Chemical stability**

Stable under normal conditions.

### **10.3. Possibility of hazardous reactions**

Reactions with acids and strong oxidizing agents.

### **10.4. Conditions to avoid**

To avoid thermal decomposition, do not overheat.

Exothermic reaction with strong acids.

### **10.5. Incompatible materials**

Strong acids and oxidizing agents

### **10.6. Hazardous decomposition products**

Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>) and nitrogen oxides (NO<sub>x</sub>).

---

## **SECTION 11: Toxicological information**

### **11.1. Information on toxicological effects**

#### **Acute toxicity**

Harmful if swallowed.

ATEmix/oral: ~ 1500 mg/kg

#### **Irritation and corrosivity**

Causes severe skin burns and eye damage.

#### **Sensitising effects**

May cause an allergic skin reaction. (Maleic acid)

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **Severe effects after repeated or prolonged exposure**

Based on available data, the classification criteria are not met.

#### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Additional information on tests**

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

#### **Practical experience**

#### **Other observations**

Ingestion causes irritation to the respiratory system and gastrointestinal disturbance.

Watch out. Beware, hazard of foam aspiration.

---

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

Ecological data are not available.

Very toxic to aquatic life with long lasting effects.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

LC50/Oncorhynchus mykiss/96 h = 0,68 mg/l [OECD 203]

EC50/Daphnia magna/48 h = 0,073 mg/l [US-EPA]

NOEC/Daphnia magna/21 d = 0,024 mg/l [OECD 211]

ErC50/Pseudokirchneriella subcapitata/72 h = 0,054 mg/l [US-EPA]

NOEC/Pseudokirchneriella subcapitata/72 h = 0,0069 mg/l [OECD 201]

**12.2. Persistence and degradability**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**12.3. Bioaccumulative potential**

No data available.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
112-34-5	2-(2-Butoxyethoxy)ethanol	0,56 (25°C)

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

**12.6. Other adverse effects**

Hazardous water pollutant.

**Further information**

This concentrate is not allowed to be released into the sewerage, surface water or groundwater.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Where possible recycling is preferred to disposal.

Can be incinerated, when in compliance with local regulations.

**Waste disposal number of waste from residues/unused products**

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors  
Classified as hazardous waste.

**Contaminated packaging**

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

**SECTION 14: Transport information****Land transport (ADR/RID)****14.1. UN number:**

UN 1903

**14.2. UN proper shipping name:**

DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)

**14.3. Transport hazard class(es):**

8

**14.4. Packing group:**

III

Hazard label:

8



Classification code:

C9

Limited quantity:

5 L / 30 kg

Excepted quantity:

E1

Transport category:

3

Hazard No:

80

Tunnel restriction code:

E

**Inland waterways transport (ADN)**



**MEDICHEM ID KOMBI**

00320-0087-GHS

**14.1. UN number:** UN 1903  
**14.2. UN proper shipping name:** DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Classification code: C9  
 Limited quantity: 5 L / 30 kg  
 Excepted quantity: E1

**Marine transport (IMDG)**

**14.1. UN number:** UN 1903  
**14.2. UN proper shipping name:** DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Marine pollutant: Yes  
 Limited quantity: 5 L / 30 kg  
 Excepted quantity: E1  
 EmS: F-A, S-B

**Air transport (ICAO)**

**14.1. UN number:** UN 1903  
**14.2. UN proper shipping name:** DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Limited quantity Passenger: 1 L  
 Passenger LQ: Y841  
 Excepted quantity: E1  
 IATA-packing instructions - Passenger: 852  
 IATA-max. quantity - Passenger: 5 L  
 IATA-packing instructions - Cargo: 856  
 IATA-max. quantity - Cargo: 60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: yes



**14.6. Special precautions for user**

Take the usual precautions when handling with chemicals.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

The transport takes place only in approved and appropriate packaging.



---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

2004/42/EC (VOC): 0 %

#### Additional information

Regulation (EC) No 648/2004 (Regulation on detergents):

Non-ionic surfactants 15 - 30%, Disinfectant, fragrances

Declarable perfume ingredients: Limonene, citronellol

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D): 2 - water contaminating

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

---

## SECTION 16: Other information

### Changes

Changes in chapter: 2, 3, 9, 12, 14, 15

### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

### Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product



(in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*