

Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier · Trade name: <u>Heptane</u> · SDS number: CH0025
- · CAS Number: 142-82-5
- EC number: 205-563-8
- Index number: 601-008-00-2
- · Registration number 01-2119457603-38
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

For professional users only

· Life cycle stages

IS Use at industrial Sites

F Formulation or re-packing

· Sector of Use

SU8 Manufacture of bulk, large scale chemicals (including petroleum products)

SU9 Manufacture of fine chemicals

SU24 Scientific research and development

· Product category

PC21 Laboratory chemicals

PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents

PC29 Pharmaceuticals

PC40 Extraction agents

· Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC4 Chemical production where opportunity for exposure arises

PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC15 Use as laboratory reagent

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC5 Mixing or blending in batch processes

PROC14 Tabletting, compression, extrusion, pelletisation, granulation

PROC7 Industrial spraying

PROC10 Roller application or brushing

PROC13 Treatment of articles by dipping and pouring

PROC16 Use of fuels

PROC11 Non industrial spraying

· Environmental release category

ERC1 Manufacture of the substance

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC2 Formulation into mixture

ERC3 Formulation into solid matrix

ERC5 Use at industrial site leading to inclusion into/onto article

ERC6a Use of an intermediary

ERC6b Use of reactive processing aid at industrial site (no inclusion into or onto article)

ERC6c Use of monomer in polymerisation processes at industrial site (inclusion or not into/onto article)

ERC6d Use of reactive process regulators in polymerisation processes at industrial site (inclusion or not into/onto article)

ERC7 Use of functional fluid at industrial site

Hounisen Laboratorieudstyr A/S

Niels Bohrs Vej 49 8660 Skanderborg, Danmark

+45 86 21 08 00 | salg@hounisen.com



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 26 (replaces version 25) Printing date 26.03.2025 Revision: 26.03.2025

(Contd. of page 1) Trade name: Heptane

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

- · Application of the substance / the mixture Chemicals products for laboratory
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

CARLO ERBA REAGENTS

Chaussée du Vexin

Parc d'Affaires des Portes - BP616 27106 VAL DE REUIL Cedex Téléphone: +33 (0)2 32 09 20 00

Télécopie: +33 (0)2 32 09 20 20 Further information obtainable from:

Q.A / Normative

email: MSDS CER-SDS@cer.dgroup.it

Distributør: Hounisen Laboratorieudstyr A/S, Niels Bohrs Vej 49, DK-8660 Skanderborg, +45 86210800, salg@hounisen.com

· 1.4 Emergency telephone number:

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24)

EU Tel: 112, Denmark; (+45) 82 12 12 12

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

H225 Highly flammable liquid and vapour. Flam. Liq. 2



GHS08 health hazard

H304 May be fatal if swallowed and enters airways. Asp. Tox. 1



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 3)



Version number 26 (replaces version 25) Revision: 26.03.2025 Printing date 26.03.2025

Trade name: Heptane

(Contd. of page 2)

· Hazard pictograms









GHS02

GHS07

· Signal word Danger

· Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P280 *Wear protective gloves / eye protection / face protection.*

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Substances

· CAS No. Description CAS: 142-82-5 Heptane

· Identification number(s)

· EC number: 205-563-8

· Index number: 601-008-00-2

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly. Wash contaminated clothing before reuse. *If skin irritation continues, consult a doctor.*

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Seek immediate medical advice.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Call a doctor immediately.

· Information for doctor: Show the doctor this Material Safety Data Sheet.

(Contd. on page 4)



Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

Trade name: Heptane

(Contd. of page 3)

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2 or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

In lack of oxygen: carbon monoxide (CO) Carbon monoxide and carbon dioxide

- 5.3 Advice for firefighters
- · Protective equipment: Do not inhale gases in case or fire or combustion.
- · Additional information Keep receptacles cool with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep away any ignition source.

Wear protective equipment. Keep unprotected persons away.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

Prevent seepage into sewage system, workpits and cellars.

In case of seepage into the ground inform responsible authorities.

· 6.3 Methods and material for containment and cleaning up:

Collect the liquid with vacuum in a suitable container and absorb the remainder with a porous material (diatomite, acid binders, universal binders, etc).

Ensure adequate ventilation.

Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Only handle and refill product in closed systems or under local exhaust.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Pneumatic conveyance only with nitrogen or other inert gases.

(Contd. on page 5)



Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

Trade name: Heptane

(Contd. of page 4)

· Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/product.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:	
CAS: 142-82-5 Heptane	

IOELV Long-term value: 2085 mg/m³, 500 ppm

· DNEL	9
--------	---

DNELS		
Oral	DNEL (consumer-chronic systemic effects)	149 mg/kg (Day)
Dermal	DNEL (workers-systemic chronic effects)	300 mg/kg (day)
	DNEL (consumer-chronic systemic effects)	149 (mg/Kg/day)
Inhalative	DNEL (workers-systemic chronic effects)	2,085 mg/m3
	DNEL (consumer-systemic chronic effects)	477 (Day)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

The selected respiratory protection must comply with standard EN 136/140/143/145/149.

(Contd. on page 6)



Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

Trade name: Heptane

(Contd. of page 5)

· Hand protection

The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

Rubber gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Recommended thickness of the material: ≥ 0.5 mm

Chloroprene rubber, CR

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed

· For the permanent contact gloves made of the following materials are suitable:

The penetration time has to be at least 480 minutes

Fluorocarbon rubber (Viton)

Recommended thickness of the material: ≥ 0.4 mm

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.35 mm

· Eye/face protection



Tightly sealed goggles

· Environmental exposure controls

The product must not be released into the environment.

In case of unintended release of the product: See section 6 of the Safety Data Sheet.

· Risk management measures Keep good industrial hygiene.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

Molecular weight
Physical state
Colour:
Odour:
Odour threshold:
100.21 g
Liquid
Colourless
Nearly odourless
Not determined.

• Melting point/freezing point: -90.5 °C

· Boiling point or initial boiling point and boiling

range 98 °C

· Flammability Highly flammable.

· Lower and upper explosion limit

Lower: 1.1 Vol %
 Upper: 6.7 Vol %
 Flash point: -4 °C
 Auto-ignition temperature: 215 °C

• **Decomposition temperature:** Not determined.

(Contd. on page 7)



Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

Trade name: Heptane

(Contd. of page 6)

• pH No	ot determined.
----------------	----------------

· Viscosity:

Kinematic viscosity
Dynamic at 20 °C:
Not determined.
0.4 mPas

Solubility

• water at 20 °C: 0.05 g/l

· organic solvents: Miscible with many organic solvents.

Partition coefficient n-octanol/water (log value)
Vapour pressure at 20 °C:
Vapour pressure at 50 °C:
190 hPa

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and

environment, and on safety.

• **Ignition temperature:** Not determined.

Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

• Molecular formula
 • Molecular weight
 C7 H16
 100.21 g/mol

· Change in condition

• Evaporation rate Not determined.

· Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void

· Flammable liquids Highly flammable liquid and vapour.

Flammable solids
Self-reactive substances and mixtures
Void
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Substances and mixtures, which emit flammable

Substances and mixtures, which emit flammable gases in contact with water

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Void
Desensitised explosives

SECTION 10: Stability and reactivity

- · 10.1 Reactivity See 10.3
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

(Contd. on page 8)



Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

Trade name: Heptane

(Contd. of page 7)

· 10.3 Possibility of hazardous reactions

Can react violently with oxygen rich (oxidizing) material. Danger of Explosion.

· 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide, Carbon dioxide.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

	· LD/LC50 values relevant for classification:		
Γ	Oral	LD50	>5,000 mg/kg (rat)
	Dermal	LD50	>2,000 mg/kg (rabbit)
	Inhalative	LC50/4 h	≥29.29 mg/L (rat)

- Primary irritant effect:
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eve damage/irritation Irritating effect.
- · Ingestion: It can be harmfull if swallowed.
- · Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard May be fatal if swallowed and enters airways.
- Other information (about experimental toxicology): No further relevant information available.
- 11.2 Information on other hazards
- Endocrine disrupting properties Substance is not listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · Method
- · Ecological information Not available
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 9)



Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

Trade name: Heptane

(Contd. of page 8)

Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Reutilise if possible or contact a waste processors for recycling or safe disposal.

· Waste disposal key:

The European Union does not establish uniform rules for the disposal of chemical waste, which are special waste. Their treatment and elimination of the domestic legislation of each country. So, in each case, you should contact the relevant authorities, or those companies legally authorized for elimination of waste.

2014/955/UE: Council Decision of 18 December 2014 amending the list of wastes contained in Decision 2000/532/EC.

Directive 2008/98/EC of the european parliament and of the council of 18 November 2008, in ist latest valid version.

· Europ	· European waste catalogue		
HP3	Flammable		
HP4	Irritant - skin irritation and eye damage		
HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity			
HP14	Ecotoxic		

· Uncleaned packaging:

The containers and packaging materials contaminated with dangerous substances or preparations, have the same treatment of products.

Directive 94/62/EC of the European Parliament and the Council of 20 December 1994 on packaging and packaging waste.

· Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR/RID, IMDG, IATA	UN1206
· 14.2 UN proper shipping name · ADR/RID · IMDG · IATA	1206 HEPTANES, ENVIRONMENTALLY HAZARDOUS HEPTANES, MARINE POLLUTANT Heptanes

- · 14.3 Transport hazard class(es)
- · ADR/RID



· Class 3 (F1) Flammable liquids.

(Contd. on page 10)



Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

Trade name: Heptane

	(Contd. of page
· Label	3
· IMDG	
*	
· Class · Label	3 Flammable liquids. 3
· IATA	
Class	3 Flammable liquids.
Label	3
· 14.4 Packing group · ADR/RID, IMDG, IATA	II
14.5 Environmental hazards:	Environmentally hazardous substance, liquid; Mari Pollutant
Marine pollutant:	Yes (P) Symbol (fish and tree)
Special marking (ADR/RID):	Symbol (fish and tree)
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category	Warning: Flammable liquids. 33 F-E,S-D B
14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
Transport/Additional information:	
· ADR/RID · Excepted quantities (EQ): · Limited quantities (LQ) · Excepted quantities (EQ)	E2 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category · Tunnel restriction code	Maximum net quantity per outer packaging. 500 mt 2 D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1206 HEPTANES, 3, II, ENVIRONMENTALI HAZARDOUS



Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

Trade name: Heptane

(Contd. of page 10)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA Section 355 (extremely hazardous substances) Substance is not listed.
- · SARA Section 313 (specific toxic chemical listings) Substance is not listed.
- · Prop 65 Chemicals known to cause cancer Substance is not listed.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category

E1 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EU) 2019/1021 on persistent organic pollutants (POP) Substance is not listed.
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) Substance is not listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40, 75
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

Substance is not listed.

- · REGULATION (EU) 2024/590 on substances that deplete the ozone layer Substance is not listed.
- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	50-100

- · Waterhazard class: Water hazard class 2 (Assessment by list): hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Substance is not listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Q.A./Normative • Date of previous version: 19.03.2021
- · Version number of previous version: 25
- · Abbreviations and acronvms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

RCR : Risk Characterisation Ratio

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

P: Marine Pollutant

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

(Contd. on page 12)



Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

Trade name: Heptane

(Contd. of page 11)

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

·Sources

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006, REACH, in the latest valid version.

Regulation (EC) N° 1272/2008 of the European Parliament and of the Council of 16 December 2008, CLP, in the latest valid version.

Globally Harmonized System, GHS

ADR/RID, IMDG, IATA

PubChem: an open chemistry database at the National Institutes of Health (NIH)

ECHA: European CHemicals Agency

GESTIS: Information system on hazardous substances of the German Social Accident Insurance

* * Data compared to the previous version altered.

- FI

(Contd. on page 13)



Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

Trade name: Heptane

(Contd. of page 12)

Annex: Exposure scenario 1

- · Short title of the exposure scenario Substance manufacturing
- · Sector of Use Industrial use.
- · Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC4 Chemical production where opportunity for exposure arises

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC15 Use as laboratory reagent

· Environmental release category

ERC1 Manufacture of the substance

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

· Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

· Conditions of use

According to directions for use.

Customary application according to section 1.

- · Duration and frequency 8hrs (full working shift).
- · Worker 8hrs (full working shift).
- · Physical parameters

The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.

- · Physical state Fluid
- · Concentration of the substance in the mixture Raw material.
- · Used amount per time or activity According to directions for use.
- · Other operational conditions Observe the general safety regulations when handling chemicals.
- · Other operational conditions affecting environmental exposure

Use only on hard ground.

Observe section 6 of the Safety Data Sheet (Accidental release measures).

· Other operational conditions affecting worker exposure

Avoid contact with the skin.

Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

Indoor application.

Outdoor application.

- · Risk management measures
- · Worker protection
- · Organisational protective measures

Keep good industrial hygiene.

Ensure that activities are executed by specialists or authorised personnel only.

Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device.

The appropriate type of chemical protective glove has to be selected specifically, depending on the concentration and quantity of hazardous substances in the workplace.

Provide sufficient washing facilities.

Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.

(Contd. on page 14)



Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

Trade name: Heptane

(Contd. of page 13)

Work clothes must not consist of textiles that exhibit dangerous melting behaviour in case of fire.

· Technical protective measures

Ensure good ventilation/exhaustion at the workplace.

Provide explosion-proof electrical equipment.

Use product only in enclosed systems.

· Personal protective measures

Avoid contact with the skin.

The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

Rubber gloves

Tightly sealed goggles

The usual precautionary measures are to be adhered to when handling chemicals.

Detailed measures on hand protection according to Safety Data Sheet, section 8.

Use suitable respiratory protective device only when aerosol or mist is formed.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

The selected respiratory protection must comply with standard EN 136/140/143/145/149.

· Environmental protection measures

Avoid release to the environment. Obtain special instructions / refer to Safety Data Sheet.

- · Water Do not allow to reach sewage system.
- · Soil Prevent contamination of soil.
- · Notes In case of unintended release of the product: See section 6 of the Safety Data Sheet.
- **Disposal measures** Ensure that waste is collected and contained.
- · Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Worker (inhalation)

The exposure estimation was carried out in accordance with ECETOC TRA.

The calculated value is smaller than the DNEL.

· Guidance for downstream users

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

EU

(Contd. on page 15)



Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

Trade name: Heptane

(Contd. of page 14)

Annex: Exposure scenario 2

- · Short title of the exposure scenario Formulation or re-packing
- · Sector of Use Industrial use.
- · Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC4 Chemical production where opportunity for exposure arises

PROC5 Mixing or blending in batch processes

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC14 Tabletting, compression, extrusion, pelletisation, granulation

PROC15 Use as laboratory reagent

- · Environmental release category ERC2 Formulation into mixture
- · Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- Conditions of use Customary application according to section 1.
- · Duration and frequency 8hrs (full working shift).
- · Worker 8hrs (full working shift).
- · Physical parameters

The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.

- · **Physical state** Fluid
- · Concentration of the substance in the mixture Raw material.
- Other operational conditions Observe the general safety regulations when handling chemicals.
- · Other operational conditions affecting environmental exposure Use only on hard ground.
- · Other operational conditions affecting worker exposure

Ensure adequate ventilation, especially in closed rooms.

Avoid direct contact with the chemical /product / preparation by organisational measures.

Avoid contact with the skin.

Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

- · Risk management measures
- · Worker protection
- · Organisational protective measures

Keep good industrial hygiene.

Ensure that activities are executed by specialists or authorised personnel only.

Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.

Provide sufficient washing facilities.

Work clothes must not consist of textiles that exhibit dangerous melting behaviour in case of fire.

· Technical protective measures

Use product only in enclosed systems.

Ensure good ventilation/exhaustion at the workplace.

Provide explosion-proof electrical equipment.

· Personal protective measures

Avoid contact with the skin.

The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the

(Contd. on page 16)



Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

Trade name: Heptane

(Contd. of page 15)

degradation

Protective gloves

Rubber gloves

Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.

Tightly sealed goggles

The usual precautionary measures are to be adhered to when handling chemicals.

Detailed measures on hand protection according to Safety Data Sheet, section 8.

Use suitable respiratory protective device only when aerosol or mist is formed.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

The selected respiratory protection must comply with standard EN 136/140/143/145/149.

Protective work clothing

· Environmental protection measures

- · Water Do not allow to reach sewage system.
- · Soil Prevent contamination of soil.
- · Notes In case of unintended release of the product: See section 6 of the Safety Data Sheet.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Worker (inhalation)

The exposure estimation was carried out in accordance with ECETOC TRA.

The calculated value is smaller than the DNEL.

· Guidance for downstream users

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

- EU

(Contd. on page 17)



Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

Trade name: Heptane

(Contd. of page 16)

Annex: Exposure scenario 3

- · Short title of the exposure scenario Chemicals products for laboratory
- · Sector of Use Industrial use.
- · Process category

PROC10 Roller application or brushing

PROC15 Use as laboratory reagent

· Environmental release category

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

· Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use Customary application according to section 1.
- · Duration and frequency 8hrs (full working shift).
- · Worker 8hrs (full working shift).
- · Physical parameters

The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.

- · Physical state Fluid
- · Concentration of the substance in the mixture Raw material.
- Other operational conditions Observe the general safety regulations when handling chemicals.
- · Other operational conditions affecting environmental exposure Use only on hard ground.
- · Other operational conditions affecting worker exposure

Avoid contact with the skin.

Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

- · Risk management measures
- · Worker protection
- · Organisational protective measures

Keep good industrial hygiene.

Ensure that activities are executed by specialists or authorised personnel only.

Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.

Provide sufficient washing facilities.

Work clothes must not consist of textiles that exhibit dangerous melting behaviour in case of fire.

· Technical protective measures

Ensure good ventilation/exhaustion at the workplace.

Provide explosion-proof electrical equipment.

· Personal protective measures

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the skin.

Detailed measures on hand protection according to Safety Data Sheet, section 8.

Use suitable respiratory protective device only when aerosol or mist is formed.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

 $The \ selected \ respiratory \ protection \ must \ comply \ with \ standard \ EN \ 136/140/143/145/149.$

The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

Rubber gloves

Avoid direct contact with the chemical/the product/the preparation by organisational measures.

Tightly sealed goggles

Protective work clothing

(Contd. on page 18)



Printing date 26.03.2025 Version number 26 (replaces version 25) Revision: 26.03.2025

Trade name: Heptane

(Contd. of page 17)

· Environmental protection measures

- · Water Do not allow to reach sewage system.
- · Soil Prevent contamination of soil.
- · Notes In case of unintended release of the product: See section 6 of the Safety Data Sheet.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Worker (inhalation)

The exposure estimation was carried out in accordance with ECETOC TRA.

The calculated value is smaller than the DNEL.

· Guidance for downstream users

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

EU